

Pharmaceutical Product Catalog 2021



Quality you trust

www.vivapharm.kz

Ramipril

Viva Pharm

Tablets, 5 mg №30
and 10 mg №30



Composition*: one tablet contains active ingredient - ramipril 5 mg or 10 mg

Therapeutic indications*:

- treatment of arterial hypertension
- prevention: reduction of cardiovascular risk and mortality
- diabetic or nondiabetic nephropathy
- secondary prevention after acute myocardial infarction (after 48 hours) reduction of mortality from the acute phase of myocardial infarction in patients with clinical signs of heart failure
- treatment of symptomatic heart failure

Registration number: РК-ЛС-3№022394 29.08.2019
Registration number: РК-ЛС-3№022395 29.08.2019

Fosinopril

Viva Pharm

Tablets, 10 mg №28
and 20 mg №28



Composition*: one tablet contains active ingredient - fosinopril sodium 10 mg or 20 mg

Therapeutic indications*:

- arterial hypertension
- chronic heart failure

Registration number: РК-ЛС-5№018185 09.08.2019
Registration number: РК-ЛС-5№018186 09.08.2019

Bisoprolol

Viva Pharm

Coated tablets, 2.5 mg №30,
5mg №30 and 10mg №30



Composition*: one tablet contains active ingredient - bisoprolol fumarate 2.5 mg, 5 mg or 10 mg

Therapeutic indications*:

- treatment of stable chronic heart failure with reduced systolic left ventricular function in addition to angiotensin-converting enzyme (ACEI) and diuretics, and optionally cardiac glycosides
- arterial hypertension
- coronary heart disease (stable angina)

Registration number: РК-ЛС-5№022196 30.05.2016
Registration number: РК-ЛС-5№022197 30.05.2016
Registration number: РК-ЛС-5№022198 30.05.2016

Candesartan

Viva Pharm

Tablets, 8 mg №30,
16 mg №30



Composition*: one tablet contains active ingredient - candesartan cilexetil 8 mg or 16 mg

Therapeutic indications*:

- arterial hypertension
- chronic heart failure to reduce mortality and hospitalization rates due to CHF, and to improve symptoms

Registration number: РК-ЛС-5№024788 от 20.10.2020
Registration number: РК-ЛС-5№024789 от 20.10.2020

Captopril

Viva Pharm

Tablets, 25 mg №30



Composition*: one tablet contains active ingredient - captopril 25 mg

Therapeutic indications*:

- arterial hypertension
- chronic heart failure
- coronary heart disease
- macroproteinuric diabetic nephropathy in patients with type I diabetes

Registration number: РК-ЛС-5№018187 04.09.2019

Captopril H

Viva Pharm

Tablets, 50 mg/25 mg №30



Composition*: one tablet contains active ingredients - captopril 50 mg, hydrochlorothiazide 25 mg

Therapeutic indications*:

- arterial hypertension

Registration number: РК-ЛС-5№021637 28.09.2020

*Before prescription and administration you should read and acknowledge package leaflet

Agvistar®

Coated tablets,
5/160 mg №28
and 10/160 mg №28



Composition*:

- one tablet contains active ingredients - valsartan 160 mg, amlodipine besilate 6.94 mg of 13.88 mg (equivalent to 5 mg or 10 mg of amlodipine)

Therapeutic indications*:

- treatment of essential hypertension when monotherapy is not effective

Registration number: РК-ЛС-5№122148 09.10.2019

Registration number: РК-ЛС-5№122149 09.10.2019

VivaCor®

Tablets, 5/5 mg №30,
5/10 mg №30
and 10/20 mg №28



Composition*: one tablet contains active ingredients - amlodipine besylate 6.94 mg and 13.88 mg (equivalent to 5 mg or 10 mg of amlodipine), lisinopril dehydrate 5.44 mg, 10.88 mg or 21.76 mg (equivalent to 5mg, 10 mg or 20 mg of lisinopril)

Therapeutic indications*:

- essential arterial hypertension
- as an alternative to simultaneous administration of lisinopril and amlodipine in these doses

Registration number: РК-ЛС-5№023443 28.12.2017

Registration number: РК-ЛС-5№023444 28.12.2017

Registration number: РК-ЛС-5№023445 28.12.2017



ANTINEOPLASTIC HORMONAL DRUGS

Methylprednisolone

Viva Pharm

Tablets, 4 mg №30 and 16 mg №30

Composition*: one tablet contains active ingredient - methylprednisolone 4 mg or 16 mg

Therapeutic indications*:

Medicinal product is indicated in conditions that require glucocorticoid activity such as:

Endocrine disorders

-primary or secondary adrenocortical insufficiency
-congenital adrenal hyperplasia

Rheumatic disorders

-rheumatoid arthritis
-juvenile rheumatoid arthritis
-ankylosing spondylitis

Collagenoses/inflammation

-systemic lupus erythematosus
-systemic dermatomyositis (polymyositis)
-acute rheumatic carditis

-giant-cell arteritis / polymyalgia rheumatica

Skin diseases

-pemphigus vulgaris

Allergic reactions

-seasonal or perennial allergic rhinitis
-drug hypersensitivity reactions
-serum sickness
-allergic contact dermatitis
-bronchial asthma

Ophthalmic diseases

-anterior uveitis (iritis, iridocyclitis)
-posterior uveitis

-optic neuritis

Respiratory diseases

-pulmonary sarcoidosis
-fulminating or disseminated pulmonary tuberculosis (when used concurrently with appropriate antituberculous chemotherapy)
-gastric content aspiration

Hematologic disorders

-idiopathic thrombocytopenic purpura
-hemolytic anemia (autoimmune)

Oncology diseases

-leukemia (acute and lymphatic)
-malignant lymphoma

Gastrointestinal diseases

-ulcerative colitis
-crohn's disease

Other indications

-tuberculous meningitis (when used concurrently with appropriate antituberculous chemotherapy)
transplantation



Toremifene

Viva Pharm

Tablets, 20 mg №30
and 60 mg №30

Composition*:

one tablet contains active ingredient - toremifene citrate 20 mg or 60 mg

Therapeutic indications*:

For dose strength 20 mg:

- first line hormone treatment of hormone-dependent metastatic breast cancer in postmenopause
- prevention and treatment of dishormonal breast hyperplasia

For dose strength 60mg:

- first line hormone treatment of hormone-dependent metastatic breast cancer in postmenopause
Toremifene is not recommended for patients with estrogen-receptor-negative tumours

Registration number: РК-ЛС-5№023518 08.02.2018

Registration number: РК-ЛС-5№023519 08.02.2018



*Before prescription and administration you should read and acknowledge package leaflet

Famciclovir

Viva Pharm

Coated tablets, 125 mg №10
and 250 mg №21



Composition*: one tablet contains active ingredient - famciclovir 125 mg or 250 mg

Therapeutic indications*:

Varicella zoster virus infections:

- treatment of herpes zoster and ophthalmic zoster in immunocompetent adult patients
- treatment of herpes zoster in immunocompromised adult patients

Herpes simplex virus infections:

- treatment of first and recurrent episodes of genital herpes in immunocompetent adult patients
- treatment of recurrent episodes of genital herpes in immunocompromised adult patients
- suppression of recurrent genital herpes in immunocompetent adult patients and immunocompromised adult patients

Registration number: PK-ЛС-3№022356 21.08.2019

Registration number: PK-ЛС-3№022357 21.08.2019

Entecavir

Viva Pharm

Coated tablets, 0.5 mg №30



Composition*: one tablet contains active ingredient - entecavir 0.5 mg

Therapeutic indications*:

Chronic hepatitis B in adults with:

- compensated liver disease and evidence of active viral replication, persistently elevated serum transaminase (ALT or AST) levels and histological evidence of active inflammation and/or fibrosis
- decompensated liver disease

For both compensated and decompensated liver disease, this indication is based on clinical trial data in nucleoside naive patients with HBeAg positive and HBeAg negative HBV infection with respect to patients with lamivudine-refractory hepatitis B

Registration number: PK-ЛС-5№024050 15.03.2019

Valganciclovir

Viva Pharm

Coated tablets, 450 mg №60



Composition*: one tablet contains active ingredient - valganciclovir hydrochloride 496,30 mg (equivalent to 450 mg of valganciclovir)

Therapeutic indications*:

- treatment of cytomegalovirus (CMV) retinitis in patients with AIDS
- prevention of CMV-infection in patients risk group after organ transplantation

Registration number: PK-ЛС-5№023377 16.11.2017

Valavex®

Coated tablets, 500 mg №10

Composition*: one tablet contains active ingredient - valaciclovir hydrochloride 556 mg (equivalent to 500 mg of valaciclovir)

Therapeutic indications*:

- Herpes zoster
 - HSV infections of the skin and mucous membranes including, first-episode and recurrences of genital herpes
 - Herpes labialis
 - prevention (suppression) of recurrent skin and mucous membranes Herpes simplex virus infections
 - reduction of transmission of genital herpes when taken as suppressive therapy and combined with safer sex practices
 - prevention of cytomegalovirus infection (CMV) following organ transplantation
- CMV prophylaxis with Valavex in subjects receiving solid organ transplantation (kidney) reduces the occurrence of acute graft rejection, opportunistic infections and other herpes virus infections (HSV, VZV)

Registration number: PK-ЛС-5№019443 17.07.2020



*Before prescription and administration you should read and acknowledge package leaflet

DAY TRANQUILIZER AND SELECTIVE ANXIOLYTICS

Gidazepam VIC

Tablets, 20 mg №20 and 50 mg №10

Sublingual tablets, 20 mg №20 and 50 mg №10



Composition*: one tablet or one sublingual tablets contains active ingredients - gidazepam 20 mg or 50 mg

Therapeutic indications*:

- neurotic, psychopathic asthenia
- conditions that are accompanied by anxiety, fear (including prior to surgical interventions and painful diagnostic examinations)
- high irritability
- sleep disturbance
- emotional lability
- also efficient for the relief of the abstinence syndrome in case of alcoholism and as maintenance therapy during remission in case of chronic alcoholism, logoneurosis, migraine

Registration number: РК-ЛС-5№022914 17.04.2017

Registration number: РК-ЛС-5№022915 17.04.2017

Registration number: РК-ЛС-5№022916 17.04.2017

Registration number: РК-ЛС-5№022917 17.04.2017



OPIOID ANALGESICS

Morphine sulfate VIC

Tablets, 5 mg №50 and 10 mg №10, №50



Composition*: one tablet contains active ingredient – morphine sulfate pentahydrate 5 mg or 10mg

Therapeutic indications*:

- severe pain syndrome

Registration number: РК-ЛС-5№023132 28.07.2017

Registration number: РК-ЛС-5№023133 28.07.2017



ANTIHISTAMINE MEDICATIONS

Deslor®

Coated tablets, 5 mg №10



Composition*: one tablet contains active ingredient - desloratadine 5 mg

Therapeutic indications*:

- pollinosis, allergic rhinitis (sneezing, nasal discharge and itching, as well as ocular itching, tearing and redness, and itching of palate and coughing)
- urticaria (symptoms elimination of skin itching, rash)

Registration number: РК-ЛС-5№019618 19.05.2020

Cetirizine VIVA Pharm

Coated tablets, 10 mg №10 and №20



Composition*: one tablet contains active ingredient - cetirizine dihydrochloride 10 mg

Therapeutic indications*:

- For adults and children from 6 years old:
- for the relief of nasal and ocular symptoms of seasonal and perennial allergic rhinitis
- for the relief of symptoms of chronic idiopathic urticarial

Registration number: РК-ЛС-5№024666 от 06.08.2020г.

*Before prescription and administration you should read and acknowledge package leaflet

ANTI-INFLAMMATORY DRUGS

Ibuprofen

Viva Pharm

Coated tablets, 200 mg, №14
and 400 mg №20



Composition*: one tablet contains active ingredient - ibuprofen 200 mg or 400 mg

Therapeutic indications*:

Pain relief with the following conditions:

- headache and dental pain
- migraine
- painful menstruations
- neuralgia
- backache
- muscular and rheumatic pains
- cold and flu symptoms



Registration number: PK-ЛC-5№122120 28.03.2019

Registration number: PK-ЛC-5№122119 28.03.2019

Lornoxicam

Viva Pharm

Coated tablets,
4 mg №10
and 8 mg №10



Composition*: one tablet contains active ingredient - lornoxicam 4 mg or 8 mg

Therapeutic indications*:

- short-term treatment of acute mild to moderate pain
- symptomatic treatment of pain and inflammation in osteoarthritis
- symptomatic treatment of pain and inflammation in rheumatoid arthritis

Registration number: PK-ЛC-5№024267 26.08.2019

Registration number: PK-ЛC-5№024268 26.08.2019

ORAL REHYDRATION SOLUTION

ORS Viva Pharm

Powder for oral solution, №20



Composition*: one sachet contains active ingredients - potassium chloride 1.50 g, sodium chloride 2.60 g, sodium citrate dihydrate 2.90 g, anhydrous glucose 13.50 g

Therapeutic indications*:

- loss of fluid and salts caused by acute or chronic diarrhea

Registration number: PK-ЛC-5№022967 от 12.05.2017 г.

Laringal®

Orodispersible tablets,
8.75 mg № 10



Composition*: one tablet

contains active ingredient - flurbiprofen 8.75 mg

Therapeutic indications*:

- for the symptomatic relief of mouth and throat infections

Registration number: PK-ЛC-5№024286 03.09.2019



Paracetamol Viva Pharm

Rectal suppositories,
80 mg, 150 mg, 300 mg №10



Composition*: one suppositories

contains active ingredient - paracetamol 80 mg, 150 mg or 300 mg

Therapeutic indications*:

- symptomatic treatment of mild to moderate pain and fever

Registration number: PK-ЛC-5№023826 11.09.2018

Registration number: PK-ЛC-5№023827 11.09.2018

Registration number: PK-ЛC-5№023828 11.09.2018



IMMUNOMODULATORY MEDICATIONS

Tilaxin®

Coated tablets, 125 mg №3, №6, №10



Composition*: one tablet contains active ingredient - tilorone 125 mg

Therapeutic indications*:

- complex therapy
- treatment and prevention influenza viruses, other acute respiratory viral infections (ARVI)
- treatment of herpetic infection

Registration number: PK-ЛC-5№022890 30.03.2017



MUCOLYTICS

Acetylcysteine

Viva Pharm

Oral powder for constitution,
200 mg №20 and 600 mg №10



Composition*:

one sachet contains active pharmaceutical ingredients: acetylcysteine 200mg or 600mg

Therapeutic indications*:

Secretolytic therapy in acute and chronic respiratory tract diseases (bronchi and lungs) with deterioration of sputum development and secretion

Registration number: РК-ЛС-5№024132 29.05.2019

Registration number: РК-ЛС-5№024133 29.05.2019

VITAMINS AND TRACE ELEMENTS

Vitamin C + Zinc

Chewable tablets, №10, №20



Composition*: one tablet contains active ingredients - ascorbic acid 500 mg (as ascorbic acid 200 mg and sodium ascorbate 337 mg*, zinc 15 mg (as zinc citrate dehydrate 46.67 mg)

Therapeutic indications*:

Medical product is used for prophylactic purposes and also at combination treatment of:

- hypo- and avitaminose of vitamin C
- zinc deficiency

Registration number: РК-ЛС-5№023825 11.09.2018

COLD MEDICATIONS

BoxGripal®

Powder for oral solution, №12



Composition*: one sachet contains active ingredients - paracetamol 325 mg, pheniramine maleate 20 mg, phenylephrine hydrochloride 10 mg

Therapeutic indications*:

- short-term symptomatic therapy at acute, respiratory and viral infections, flu accompanying by high temperature, chill, fever, headache, rhinitis, sneezing and myalgia

Registration number: РК-ЛС-5№023417 08.12.2017

Grippaviv®

Capsules, №10



Composition*: one capsule contains active ingredients - type DC paracetamol 208.30 mg (equivalent to 200.00 mg of paracetamol, type FC ascorbic acid 78.95 mg (equivalent to 75.00 mg of ascorbic acid), chlorphenamine maleate 2.50 mg

Therapeutic indications*:

- infectious and inflammatory diseases (ARVI, influenza) accompanied by fever, chills, headache, joint and muscle pains, nasal congestion and pain in the throat and sinuses of the nose, myalgia, arthralgia

Registration number: РК-ЛС-5№023051 21.06.2017

Vitamin C 500

Viva Pharm

Chewable tablets,
500 mg №10, №20



Composition*: one chewable tablet contains active ingredient - ascorbic acid 500 mg (as ascorbic acid 200 mg and sodium ascorbate 337 mg)

Therapeutic indications*:

- prevention and treatment of scurvy, hypovitaminosis and avitaminosis of vitamin C, conditions of low ascorbic acid

Registration number: РК-ЛС-5№018434 16.09.2019

*Before prescription and administration you should read and acknowledge package leaflet



www.vivapharm.kz

Address of organization on the territory of the Republic of Kazakhstan, that admits claims (proposal) from consumers in relation to medicinal product quantity and who is responsible for postmarketing surveillance for safety of medicinal product:

Viva Pharm LLP the Republic of Kazakhstan
050030, Almaty, Degdar str., 33
phone: +7 (727) 383 74 63, fax: +7 (727) 383 74 56
e-mail: pv@vivapharm.kz